

Versi 1.0	ion	Revision Date: 07/19/2018		SDS Number: 00002632	Date of last issue: - Date of first issue: 07/19/2018
SEC	TION 1	. IDENTIFICATION			
	Product name		:	B-1358	
	Product code		:	F000002632	
Manufacturer or supplier's			deta	nils	
	Company name of supplier		:	Textile Rubber & Chemical - Canada Les Produits Chimiques Textile	
	Address		:	900 Gaudette Saint-Jean-sur Richelieu QC J3B 1L7	
	Telephone		:	(450) 347-7555	
	Telefax	(	:	(450) 347-3686	
Emergency telephone num- ber		:	(703) 527-3887 Ir	00) 424-9300 (CHEMTREC International): idustrial Health/Spill Emergency: (706) 277- h (ehs@trcc.com)	

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Reproductive toxicity (Oral)	: Category 2
Chronic aquatic toxicity	: Category 4
GHS Label element Hazard pictograms	
Signal word	: Warning
Hazard statements	: H360 May damage fertility or the unborn child if swallowed. H413 May cause long lasting harmful effects to aquatic life.
Precautionary statements	<ul> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P273 Avoid release to the environment.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P308 + P313 IF exposed or concerned: Get medical advice/ attention.</li> <li>Storage:</li> </ul>

Version	Revision Date:	MSDS Number:	Date of last issue: -		
1.0	07/19/2018	F000002632	Date of first issue: 07/19/2018		
	P405 Store locked up.				

P405 Store locked up. **Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 96.0558 %

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical Name	CAS-No.	Concentration (%)
Phenol, 4-methyl-, reaction products with dicy-	68610-51-5	>= 0.1 - < 1
clopentadiene and isobutylene		

### SECTION 4. FIRST AID MEASURES

If inhaled	<ul> <li>Move to fresh air in case of accidental inhalation of vapours.</li> <li>Oxygen or artificial respiration if needed.</li> <li>Call a physician or poison control centre immediately.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.
In case of eye contact	<ul> <li>In case of eye contact, remove contact lens and rinse imme- diately with plenty of water, also under the eyelids, for at least 15 minutes.</li> <li>Keep eye wide open while rinsing.</li> <li>Remove contact lenses.</li> <li>Seek medical advice.</li> </ul>
If swallowed	<ul> <li>Do NOT induce vomiting.</li> <li>If symptoms persist, call a physician.</li> <li>If conscious, drink plenty of water.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>
Most important symptoms and effects, both acute and delayed	: None known.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Foam Carbon dioxide (CO2) ABC powder
	Water mist



Version 1.0	Revision Date: 07/19/2018	MSDS Number: F000002632	Date of last issue: - Date of first issue: 07/19/2018
Specific hazards during fire- fighting		Exposure to de health. Cool closed co	ces irritant fumes. ecomposition products may be a hazard to ontainers exposed to fire with water spray. un-off from fire fighting to enter drains or water
Specific extinguishing meth- ods		cumstances ar Use water spra Fire residues a	ing measures that are appropriate to local cir- nd the surrounding environment. ay to cool unopened containers. and contaminated fire extinguishing water must in accordance with local regulations.
	cial protective equipment irefighters	Use personal p	fire, wear self-contained breathing apparatus. protective equipment. ecomposition products may be a hazard to

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	<ul> <li>Use personal protective equipment.</li> <li>Ensure adequate ventilation.</li> <li>Material can create slippery conditions.</li> <li>Use non-slip safety shoes in areas where spills or leaks can occur.</li> </ul>
Environmental precautions	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Do not let product enter drains.</li> <li>Do not allow contact with soil, surface or ground water.</li> <li>Do not allow uncontrolled discharge of product into the environment.</li> </ul>
Methods and materials for containment and cleaning up	<ul> <li>Dam up.</li> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> <li>Sweep up and shovel.</li> <li>Pick up and transfer to properly labelled containers.</li> <li>Clean contaminated floors and objects thoroughly while observing environmental regulations.</li> </ul>

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Keep away from open flames, hot surfaces and sources of ignition. No special protective measures against fire required.
Advice on safe handling	:	Wear personal protective equipment. Handle with care. Take care to avoid waste and spillage when weighing, loading and mixing the product.

Version 1.0	Revision Date: 07/19/2018	MSDS Number: F000002632	Date of last issue: - Date of first issue: 07/19/2018
Conditions for safe storage		<ul> <li>No smoking.</li> <li>Keep in properly labelled containers.</li> <li>Observe label precautions.</li> <li>Keep containers tightly closed in a dry, cool and well-ventilated place.</li> </ul>	
Materials to avoid		: Do not freeze. Keep away from food and drink. Keep away from tobacco products.	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

## Hazardous components without workplace control parameters

•	
Components	CAS-No.
Phenol, 4-methyl-, reaction	68610-51-5
products with dicyclopentadi- ene and isobutylene	
ene and isobutylene	
Engineering measures	<ul> <li>Handle only in a place equipped with local exhaust (or other appropriate exhaust).</li> <li>Maintain air concentrations below occupational exposure standards.</li> </ul>
Personal protective equipmen	t
Respiratory protection	: No personal respiratory protective equipment normally re- guired.
	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use NIOSH approved respiratory protection.
Hand protection Material	: Impervious gloves
Eye protection	: Safety glasses with side-shields Tightly fitting safety goggles Face-shield
Skin and body protection	<ul> <li>Chemical resistant apron</li> <li>Footwear protecting against chemicals</li> <li>Skin should be washed after contact.</li> <li>Change working clothes after each workshift.</li> </ul>
Protective measures	: Avoid contact with skin. When using do not eat, drink or smoke. Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing The type of protective equipment must be selected according



Version 1.0	Revision Date: 07/19/2018	MSDS Number: F000002632	Date of last issue: - Date of first issue: 07/19/2018
		to the concentra at the specific w	ation and amount of the dangerous substance vorkplace.
Hygiene measures		<ul> <li>Do not smoke.</li> <li>Keep away from food and drink.</li> <li>Avoid contact with skin, eyes and clothing.</li> <li>Change working clothes after each workshift.</li> </ul>	

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: milky, white
Odour	: ammoniacal
рН	: 9.0 - 11.0
Melting point/freezing point	: 32 °F
Boiling point/boiling range	: >212 °F
Flash point	: No data available
Vapour pressure	: No data available
Density	: No data available
Solubility(ies) Water solubility	: completely miscible
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Possibility of hazardous reac- tions	: Stable under recommended storage conditions.
Conditions to avoid	: Protect from frost.
Incompatible materials	: Oxidizing agents Strong acids and strong bases
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of ni- trogen (NOx), dense black smoke.



Version	Revision Date:	MSDS Number:	Date of last issue: -	
1.0	07/19/2018	F000002632	Date of first issue: 07/19/2018	

## SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

## Product:

Acute oral toxicity	: Remarks: This information is not available.	
Acute inhalation toxicity	: Remarks: This information is not available.	
Acute dermal toxicity	: Remarks: This information is not available.	

#### Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene:			
Acute inhalation toxicity	: Remarks: No data available		
Acute dermal toxicity	: LD50 Dermal (Rat, male and female): 2,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Remarks: No adverse effect has been observed in acute tox-		
	icity tests.		

#### Skin corrosion/irritation

#### Product:

Remarks: slight irritation

#### Components:

#### Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene: Species: Rabbit Exposure time: 4 h Method: OECD Test Guideline 404 Result: Mild skin irritation GLP: yes Remarks: slight irritation

#### Serious eye damage/eye irritation

## Product:

Remarks: Eye irritation

#### Components:

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene: Species: Rabbit Result: No eye irritation Exposure time: 72 h Method: OECD Test Guideline 405 GLP: yes Remarks: No eye irritation



/ersion .0	Revision Date: 07/19/2018	MSDS Number: F000002632	Date of last issue: - Date of first issue: 07/19/2018
Resp	iratory or skin sens	itisation	
Prod	uct:		
Rema	arks: This information	is not available.	
Carci	inogenicity		
IARC			his product present at levels greater than or lentified as probable, possible or confirmed by IARC.
OSH	A	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
NTP		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Repr	oductive toxicity		
Com	ponents:		
Phen	ol, 4-methyl-, reaction oductive toxicity - As-		clopentadiene and isobutylene: amaging fertility. Suspected of damaging the

## SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
<u>Product:</u> Toxicity to fish	: Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	: Remarks: No data available
Toxicity to algae	: Remarks: No data available
Persistence and degradability	/
<b>Bioaccumulative potential</b> No data available	
<b>Mobility in soil</b> No data available	




Version 1.0	Revision Date: 07/19/2018	MSDS Number: F000002632	Date of last issue: - Date of first issue: 07/19/2018		
••	r adverse effects ata available				
SECTION	13. DISPOSAL CONS	IDERATIONS			
Dispo	osal methods				
•	e from residues	Dispose of in a	<ul> <li>Do not dispose of waste into sewer.</li> <li>Dispose of in accordance with local regulations.</li> <li>Can be landfilled or incinerated, when in compliance with local regulations.</li> </ul>		
Conta	aminated packaging	Empty contain	: Clean container with water. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.		
SECTION	14. TRANSPORT INF	ORMATION			
Interi	national Regulation				
UNR Not re	<b>FDG</b> egulated as a dangerou	is good			
IATA Not re	<b>-DGR</b> egulated as a dangerou	is good			
-	<b>G-Code</b> egulated as a dangerou	is good			
Not a	pplicable for product as	-	RPOL 73/78 and the IBC Code		
Natio	onal Regulations				
	egulated as a dangerou	is good			
	<b>49 CFR</b> Not regulated as a dangerous good				
SECTION	15. REGULATORY IN	FORMATION			
SAR	A 302		in this material are subject to the reporting re- SARA Title III, Section 302.		
SAR	A 313	known CAS nu	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
Califo	<b>California Prop 65</b> 1,4-dioxane		nis product contains a chemical known to the rnia to cause cancer. 123-91-1		


## SAFETY DATA SHEET



## B-1358



#### **SECTION 16. OTHER INFORMATION**



**Revision Date** 

: 07/19/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## US / EN